## Table for Recording Power Line Abnormality Simulation Operation Settings

| PCR-LE | series |      |     |  |
|--------|--------|------|-----|--|
| TITLE  |        | DATE | No. |  |

| No.  | T1 | T2 | T3 | T4 | T5 | T3VOLT | LOOP | POL | MEMO     |
|------|----|----|----|----|----|--------|------|-----|----------|
| INO. | 11 | 12 | 10 | 17 | 10 | TOVOLI | LOOP | FOL | IVILIVIO |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |
|      |    |    |    |    |    |        |      |     |          |